




EASY ACCESS

ROLL-ON PLATFORMS



Australia's largest independent lift company
Established 1985

Latest technology, elegant designs, safety features, with proven reliability, these code compliant Easy Access solutions can be adapted to a wide range of applications.

Liftronic's decades of experience is evident in the many features and optional configurations available in its Easy Access transport solutions.

Designed for ease of operation, and suitable for new or existing building built from high quality materials, these platforms are safe, reliable and easy to use.

Compact and powerful designs provide solutions suitable for a wide range of applications.




Features include

- Ease of operation
- Simple access and egress
- Simple to install
- Suitable for new or existing buildings
- Finest quality materials and finishes
- Internal or External options
- Compliant with Australian Standards/BCA



Visit our website to discover our comprehensive range of elevators, escalators and moving walkways. www.liftronic.com.au



A-SERIES PLATFORM RANGE

Style safety and comfort that is easy to install in existing buildings

The A4000 and A5000 CIBES platform lifts are cost effective solutions for new and existing buildings. Standard with a supporting structure our A-series platform range will minimize building impact and associated costs.

Available with power coated steel cabins offering a large selection of RAL colours of your choice, our platform lifts offer a wide range of options and accessories make this range fully customizable.

The lift comes standard with comprehensive safety features including emergency stop and alarm, and emergency lowering in case of power failure.

Features include

- Supporting Structure
- Emergency Battery Lowering
- Standard finishes in RAL 9016
- Canbus Controller
- Indoor/Outdoor Applications
- Low running costs



Load	A4000: 300kg, A5000: 400kg and 500kg
Speed	Max 0.15m/sec
Applications	Indoor or Outdoor Private or Commercial
Platform Dimension	A4000: 830 x 830 (w x d) A5000: (1) 1000 x 1500 (w x d) A5000: (2) 1100 x 1500 (w x d) A5000: (3) 1000 x 1630 (w x d)
Shaft Dimension	A4000: 995 x 1200mm A5000: (1) 1400 x 1630 A5000: (2) 1500 x 1630 A5000: (3) 1500 x 1760
Opening Sizes	A4000: 700 x 1100 Gate (w x d) A5000: 700 x 2000 Door (w x d) A5000: 900 x 1100 Gate (w x d) A5000: 900 x 2000 Door (w x d)
Pit	0-50 mm
Headroom	2250 mm
Safety	Overload sensor with alarm, Emergency Rescue Device, Safety Edges

B-SERIES PLATFORM RANGE

Economical Passenger movement for Indoor and Outdoor Applications


The B1000 CIBES platform lift is an economical solution designed to make entrances of apartments, commercial, and public buildings more accessible.

Available with galvanized or power coated steel finishes, our 'open' design platform lifts offer a wide range of options and accessories make this range fully customizable.

The lift comes standard with comprehensive safety features including emergency stop and alarm, and emergency lowering in case of power failure.

Features include

- 'Open' Design
- Supporting Structure Option
- Canbus Controller
- Standard finishes in RAL 9016
- Indoor/Outdoor Applications
- Low running costs
- Emergency Battery Lowering



Load	300 kg
Speed	Max 0.10m/sec
Applications	Indoor or Outdoor Private or Commercial
Platform Dimension	1050 x 1450 (w x d)
Shaft Dimension	1300 x 1890 mm (w x d)
Opening Sizes	900 x 1100 Glass Saloon Door (w x d)
Pit	0-50 mm
Headroom	2250 mm
Power Supply	Single or three phase
Safety	Overload sensor with alarm, Emergency Rescue Device, Safety Edges

STAIR PLATFORM RANGE

A Robust Solution for straight stairways

The CIBES range of platform stairlifts are a robust and reliable platform lift combining easy installation with modern technology designed to make entrances of homes, apartments, commercial and public buildings more accessible.


Due to its compact design the S300 platform can be neatly folded against the wall whilst keeping the stairs clearly accessible when not in use.

This range is designed for trouble free use all year round in all weather conditions.

Features include

- 'Open' Design
- Vandal Resistant
- Automatic safety features
- Compact design
- Indoor/Outdoor Applications
- Low running costs

Load	300 kg
Speed	Max 0.15 m/s
Applications	Indoor or Outdoor Private or Commercial
Platform Dimension	S200: 800 x 1250 (w x d) S300: 800 x 1000 mm (w x d)
Parked Platform	S200: Fixed 300mm in front of staircase S300: 240mm folded on staircase
Gradient of staircase	15-45 Degrees
Pit	0-50 mm
Headroom	2250 mm
Power Supply	Single phase
Safety	Overload sensor with alarm, Emergency Rescue Device, Safety Edges



Australia's largest independent lift company
Established 1985

BRISBANE

29 Canberra Street
HEMMANT
QLD 4174
PO Box 7107
HEMMANT QLD 4174
Tel: +(61 7) 3890 0522
Fax: +(61 7) 3890 0722

MELBOURNE

640 Somerville Road
SUNSHINE WEST
VIC 3020
PO Box 1195, ALTONA
GATE VIC 3025
Tel: +(61 3) 9311 6663
Fax: +(61 3) 9312 6663

CANBERRA

L11 St George Cntr
60 Marcus Clarke St
ACT 2600
PO Box 1195, ALTONA
GATE VIC 3025
Tel: +(61 2) 6243 4844
Fax: +(61 2) 6243 4845

SYDNEY

Unit 6 153 Beauchamp Road
MATRAVILLE
NSW 2036
PO Box 75
BOTANY NSW 1455
Tel: +(61 2) 9666 3922
Fax: +(61 2) 9666 4507